

PRAMS Phase 7 Core Questionnaire Variables, Sequential

<i>Q#</i>	<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
1a	MOM_HTU	Moms height -- feet-inch/cm	HTUF	.B=BLANK/DK 1=FEET, INCHES 2=CENTIMETERS 3=METERS
1b	MOM_FEET	Moms height -- feet	NUMF	.B=DK/BLANK
1c	MOM_INCH	Moms height -- inches	NUMF	.B=DK/BLANK
1d	MOM_CM	Moms height -- centimeters	NUMF	.B=DK/BLANK
2a	MOMLBKGU	Moms weight -- lbs or kilos	LBKGUF	.B=BLANK .D=DONT KNOW .S=SKIP 1=POUNDS 2=KILOGRAMS
2b	MOM_LBKG	Moms weight -- bef preg	NUMF	.B=DK/BLANK
4	PREV_LB	Previous -- live birth	NY1F	.B=DK/BLANK 1=NO 2=YES
5	PREV_LBW_RAW	Previous -- low birth weight	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
6	PREV_PRE_RAW	Previous -- premature	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
7a	PRE_DIET	Pre-pregnancy dieting	NY1F	.B=DK/BLANK 1=NO 2=YES
7b	PRE_EXER	Pre-pregnancy exercise 3+ days/wk	NY1F	.B=DK/BLANK 1=NO 2=YES
7c	PRE_RX	Pre-pregnancy prescrip meds	NY1F	.B=DK/BLANK 1=NO 2=YES
7d	PRE_CKD	Pre-pregnancy check for diabetes	NY1F	.B=DK/BLANK 1=NO 2=YES
7e	PRE_CKBP	Pre-pregnancy check for high blood pressure	NY1F	.B=DK/BLANK 1=NO 2=YES
7f	PRE_DEPR	Pre-pregnancy check for depression/anxiety	NY1F	.B=DK/BLANK 1=NO 2=YES
7g	PRE_HIST	Pre-pregnancy talk fam med hist	NY1F	.B=DK/BLANK 1=NO 2=YES
7h	PRE_DDS	Pre-pregnancy teeth cleaned	NY1F	.B=DK/BLANK 1=NO 2=YES
8a	INSWORK	Insurance paid by -- job	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)

PRAMS Phase 7 Core Questionnaire Variables, Sequential

<i>Q#</i>	<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
8b	INSCOMP	Insurance paid by -- purchase from company	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
8c	INSMED	Insurance paid by -- Medicaid	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
8d	INSHIP	Insurance paid by -- state specific SCHIP/CHIP	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
8e1	INSGOV	Insurance paid by -- state specific other government	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
8e2	INSGOV2	Insurance paid by -- state specific other government	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
8e3	INSGOV3	Insurance paid by -- state specific other government	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
8f	INSMIL	Insurance paid by -- state specific TRICARE or military	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
8g	INSIHS	Insurance paid by -- state specific IHS/Tribal	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
8h	INSOTH	Insurance paid by -- other	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
8i	INSTYPE	Insurance paid by -- Other specified		
8j	INSNONE	Insurance paid by -- No insurance	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
9	VITAMIN	Multivitamin -- # of times /wk	VITAMIN	.B=BLANK/DK 1=DIDNT TAKE VITAMIN 2=1-3 TIMES/WEEK 3=4-6 TIMES/WEEK 4=EVERY DAY/WEEK
10	BPG_HLTH	Before pregnancy: advise about improving health	NY1F	.B=DK/BLANK 1=NO 2=YES
11a	BPG_DIAB	Health prob -- Diabetes	NY1F	.B=DK/BLANK 1=NO 2=YES
11b	BPG_HBP	Health prob -- HBP	NY1F	.B=DK/BLANK 1=NO 2=YES
11c	BPG_DEPRS	Health prob -- Depression	NY1F	.B=DK/BLANK 1=NO 2=YES

PRAMS Phase 7 Core Questionnaire Variables, Sequential

<i>Q#</i>	<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
12	PGINTENT	Preg -- intention	PGINTENT	.B=BLANK 1=LATER 2=SOONER 3=THEN 4=DID NOT WANT THEN OR ANY TIME 5=WAS NOT SURE
13	PGWAIT_RAW	Preg -- when want	PGWAIT	.B=BLANK/DK .S=SKIP 1=LESS THAN 1 YEAR 2=1 YEAR TO 2 YEARS 3=2 YEARS TO 3 YEARS 4=3 YEARS TO 5 YEARS 5=MORE THAN 5 YEARS
14	PREG_TRY	Preg -- trying	NY1F	.B=DK/BLANK 1=NO 2=YES
15	BC_WHEN4_RAW	BC -- use when got preg	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
16a	NBC_MIND_RAW	No BC -- didn't mind preg	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
16b	NBC_TIME_RAW	No BC -- couldn't at time	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
16c	NBC_SIDE_RAW	No BC -- side effects	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
16d	NBC_GET_RAW	No BC -- couldn't get	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
16e	NBC_STER_RAW	No BC -- sterile	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
16f	NBC_HUSB_RAW	No BC -- husb/part didn't want	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
16g	NBC_MEM_RAW	No BC -- forgot	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
16h	NBC_OTH_RAW	No BC -- other	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)

PRAMS Phase 7 Core Questionnaire Variables, Sequential

<i>Q#</i>	<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
16i	NBC_WHY_RAW	No BC -- other specified		
17a	PNC_1STU	1st PNC visit -- wks/mnth	PNC_1STU	.B=DK/BLANK 1=WEEKS 2=MONTHS 3=DID NOT GO
17b	PNC_1ST	1st PNC visit -- number	NUMSF	.B=DK/BLANK .S=SKIP
18a	PP_WORK_RAW	Insurance paid by -- job	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
18b	PP_COMP_RAW	Insurance paid by -- purchase from company	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
18c	PP_MEDIC_RAW	Insurance paid by -- Medicaid	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
18d	PP_CHIP_RAW	Insurance paid by -- state specific SCHIP/CHIP	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
18e1	PP_GOV_RAW	Insurance paid by -- state specific other government	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
18e2	PP_GOV2_RAW	Insurance paid by -- state specific other government	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
18e3	PP_GOV3_RAW	Insurance paid by -- state specific other government	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
18f	PP_MILIT_RAW	Insurance paid by -- state specific TRICARE or military	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
18g	PP_IHS_RAW	Insurance paid by -- state specific IHS/Tribal	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
18h	PP_OTH_RAW	Insurance paid by -- other	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
18i	PP_TYPE_RAW	Insurance paid by -- Other specified		

PRAMS Phase 7 Core Questionnaire Variables, Sequential

<i>Q#</i>	<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
18j	PP_NONE_RAW	Insurance paid by -- No insurance	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
19a	TLK_WT_RAW	HCW ask -- amt weight gain	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
19b	TLK_SMK_RAW	HCW talk -- smoking	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
19c	TLK_BF_RAW	HCW talk -- breastfeeding	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
19d	TLK_DRK_RAW	HCW talk -- drinking alcohol	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
19e	TLK_BELT_RAW	HCW talk -- seatbelt use	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
19f	TLK_MEDS_RAW	HCW talk -- safe meds	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
19g	TLK_DRUG_RAW	HCW talk -- illegal drugs	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
19h	TLK_BDEF_RAW	HCW talk -- birth defects tests	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
19i	TLK_PRET_RAW	HCW talk -- preterm labor signs	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
19j	TLK_HIVT_RAW	HCW talk -- testing for HIV	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
19k	TLK_DPRS_RAW	HCW talk -- depression	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
19l	TLK_ABUS_RAW	HCW talk -- physical abuse	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES

PRAMS Phase 7 Core Questionnaire Variables, Sequential

Q#	Variable	SAS Label	Format	Codes
19mMN	TLK_MERC_RAW	HCW talk -- mercury levels in fish/safe eating guidelines	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
20	HIVTEST	HIV test -- have dur preg	NYD1F	.B=BLANK .D=DK 1=NO 2=YES
21	FLUSHOT	Flu vacc -- info from care workers	NY1F	.B=DK/BLANK 1=NO 2=YES
22	FLUPREG	Flu vacc -- dur preg	FL12GETF	.B=BLANK/DK 1=NO 2=YES,BEFORE PREGNANCY 3=YES,DURING PREGNANCY
23a	FLU_MTH_RAW	Flu shot -- mth	NUMSDF	.B=BLANK .D=DK .S=SKIP
23b	FLU_YR4_RAW	Flu shot -- year	NUMSDF	.B=BLANK .D=DK .S=SKIP
24a	DDS_CARE	DDS -- important to care for teeth/gums	NY1F	.B=DK/BLANK 1=NO 2=YES
24b	DDS_TALK	DDS -- dental talk	NY1F	.B=DK/BLANK 1=NO 2=YES
24c	DDS_CLN	DDS -- teeth cleaned	NY1F	.B=DK/BLANK 1=NO 2=YES
24d	DDS_INS	DDS -- insurance	NY1F	.B=DK/BLANK 1=NO 2=YES
24e	DDS_PROB	DDS -- needed to see for problem	NY1F	.B=DK/BLANK 1=NO 2=YES
24f	DDSWENT	DDS -- went for problem	NY1F	.B=DK/BLANK 1=NO 2=YES
25	PGS_BIRT	Childbirth classes to prepare for birth	NY1F	.B=DK/BLANK 1=NO 2=YES
26	VST_PREP	Health worker visit to prepare for baby	NY1F	.B=DK/BLANK 1=NO 2=YES
27	WIC_PREG	WIC -- dur preg	NY1F	.B=DK/BLANK 1=NO 2=YES

PRAMS Phase 7 Core Questionnaire Variables, Sequential

<i>Q#</i>	<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
28	PG_GDB	Gestational diabetes - this pregnancy	NY1F	.B=DK/BLANK 1=NO 2=YES
29	SMK2YRS	SMK -- >=1 cigs last 2 yrs	NY1F	.B=DK/BLANK 1=NO 2=YES
30	SMK6_3B_RAW	SMK -- 3 mnths bef, # cigs/day	SMOKE5F	.B=DK/BLANK .S=SKIP 1=41 CIGARETTES OR MORE 2=21 TO 40 CIGARETTES 3=11 TO 20 CIGARETTES 4=6 TO 10 CIGARETTES 5=1 TO 5 CIGARETTES 6=LESS THAN 1 CIGARETTE 7=NONE (0 CIGARETTES)
31	SMK6_3L_RAW	SMK -- last 3 mnths, # cigs/day	SMOKE5F	.B=DK/BLANK .S=SKIP 1=41 CIGARETTES OR MORE 2=21 TO 40 CIGARETTES 3=11 TO 20 CIGARETTES 4=6 TO 10 CIGARETTES 5=1 TO 5 CIGARETTES 6=LESS THAN 1 CIGARETTE 7=NONE (0 CIGARETTES)
32	SMK6_3N_RAW	SMK -- now, # cigs/day	SMOKE5F	.B=DK/BLANK .S=SKIP 1=41 CIGARETTES OR MORE 2=21 TO 40 CIGARETTES 3=11 TO 20 CIGARETTES 4=6 TO 10 CIGARETTES 5=1 TO 5 CIGARETTES 6=LESS THAN 1 CIGARETTE 7=NONE (0 CIGARETTES)
33	DRK_2YRS	DRK -- last 2 years	NY1F	.B=DK/BLANK 1=NO 2=YES
34	DRK6_3B_RAW	DRK -- 3 mnths bef, drinks/wk	DRINK5F	.B=DK/BLANK .S=SKIP 1=14 DRINKS OR MORE A WEEK 2=7 TO 13 DRINKS A WEEK 3=4 TO 6 DRINKS A WEEK 4=1 TO 3 DRINKS A WEEK 5=LESS THAN 1 DRINK A WEEK 6=I DIDNT DRINK THEN
35	DRK6_3L_RAW	DRK -- last 3 mnths, drinks/wk	DRINK5F	.B=DK/BLANK .S=SKIP 1=14 DRINKS OR MORE A WEEK 2=7 TO 13 DRINKS A WEEK 3=4 TO 6 DRINKS A WEEK 4=1 TO 3 DRINKS A WEEK 5=LESS THAN 1 DRINK A WEEK 6=I DIDNT DRINK THEN

PRAMS Phase 7 Core Questionnaire Variables, Sequential

<i>Q#</i>	<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
36a	STRS_FM3	Stress -- family member ill	NY1F	.B=DK/BLANK 1=NO 2=YES
36b	STRS_DV3	Stress -- divorce	NY1F	.B=DK/BLANK 1=NO 2=YES
36c	STRS_MOV	Stress -- moved	NY1F	.B=DK/BLANK 1=NO 2=YES
36d	STRSHOME	Stress -- homeless	NY1F	.B=DK/BLANK 1=NO 2=YES
36e	STRS_JOB	Stress -- husb/part lost job	NY1F	.B=DK/BLANK 1=NO 2=YES
36f	STRS_WRK	Stress -- mom lost job	NY1F	.B=DK/BLANK 1=NO 2=YES
36g	STRS_PAY	Stress -- husb/part/self reduce wrk/pay	NY1F	.B=DK/BLANK 1=NO 2=YES
36h	STRS_AWY	Stress -- apart from husb/part work related	NY1F	.B=DK/BLANK 1=NO 2=YES
36i	STRS_ARG	Stress -- argue lots	NY1F	.B=DK/BLANK 1=NO 2=YES
36j	STRS_PG	Stress -- husb/part preg no	NY1F	.B=DK/BLANK 1=NO 2=YES
36k	STRS_BIL	Stress -- couldn't pay bill	NY1F	.B=DK/BLANK 1=NO 2=YES
36l	STRS_JL3	Stress -- husb/part/self in jail	NY1F	.B=DK/BLANK 1=NO 2=YES
36m	STRS_DRG	Stress -- others drugs	NY1F	.B=DK/BLANK 1=NO 2=YES
36n	STRS_DH3	Stress -- others close died	NY1F	.B=DK/BLANK 1=NO 2=YES
37	PAB6HUS	Abuse -- 12 mnths b4 preg, husb/part	NYS1F	.B=DK/BLANK .T=TEEN MOM - NOT ASKED 1=NO 2=YES
38	PAD6HUS	Abuse -- dur preg, husb/part	NYS1F	.B=DK/BLANK .T=TEEN MOM - NOT ASKED 1=NO 2=YES
39a	IDOB_MTH	Infant birth -- month	NUMF	.B=DK/BLANK
39c	IDOB_YR4	Infant birth -- year	NUMF	.B=DK/BLANK

PRAMS Phase 7 Core Questionnaire Variables, Sequential

Q#	Variable	SAS Label	Format	Codes
40a	PGWT_GNU	Unit of preg weight gain/lost	PGWT_GNU	.B=BLANK .D=DONT KNOW 1=GAINED WEIGHT 2=LOST WEIGHT 3=WEIGHT DIDNT CHANGE 4=DONT KNOW 7=DONT KNOW
40b	PGWT_GN	Preg weight gain/lost	NUMSDF	.B=BLANK .D=DK .S=SKIP 77=DK 7777=DK
41	INF_ICU	Infant ICU -- at birth	NYD1F	.B=BLANK .D=DK 1=NO 2=YES 7=DK
42	LTH_HOSP	Hosp baby stay -- length of time	LTH_HOSP	.B=BLANK 1=< 1 DAY 2=1-2 DAYS 3=3-5 DAYS 4=6-14 DAYS 5=MORE THAN 14 DAYS 6=NOT BORN IN HOSPITAL 7=STILL IN HOSPITAL
43	INFLIVE5_RAW	Infant alive -- now	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
44	INFWMOM5_RAW	Infant living -- with mom	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
45	BF5EVER_RAW	Breastfeed -- ever	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
46	BF5STILL_RAW	Breastfeed -- still	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
47a	BF5LNGTU_RAW	BF duration -- wks/mnth	BFUNIT4F	.B=BLANK .S=SKIP 1=WEEKS 2=MONTHS 5=LESS THAN 1 WEEK 6=ONLY FED BRSTMLK
47b	BF5LNGTH_RAW	BF duration -- length of time	BFDUR4F	.B=BLANK .S=SKIP 41=LESS THAN 1 WEEK 42=ONLY FED BRSTMLK

PRAMS Phase 7 Core Questionnaire Variables, Sequential

<i>Q#</i>	<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
48	SLEEPPPOS_RAW	Sleeping position -- baby	SLEEPPPOS	.B=DK/BLANK .S=SKIP 1=SIDE 2=BACK 3=STOMACH 4=SIDE/BACK 5=SIDE/STOMACH 6=BACK/STOMACH 7=ALL 3 POSITIONS
49	VST_CARE_RAW	Health worker visit to help care for self/baby	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
50	BC_NOW4	Postpartum BC -- using now	NY1F	.B=DK/BLANK 1=NO 2=YES
51a	BCB_NSEX_RAW	PP BC barrs -- abstinence	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
51b	BCB_PREG_RAW	PP BC barrs -- want preg	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
51c	BCB_WANT_RAW	PP BC barrs -- didn't want to use	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
51d	BCB_SIDE_RAW	PP BC barrs -- side effect	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
51e	BCB_HUSB_RAW	PP BC barrs -- husb/part didn't want	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
51f	BCB_PROB_RAW	PP BC barrs -- problems getting	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
51g	BCB_TUBE_RAW	PP BC barrs -- tubes tied/blocked	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
51h	BCB_VASE_RAW	PP BC barrs -- husb/part vasectomy	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
51i	BCB_PNOW_RAW	PP BC barrs -- preg now	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)

PRAMS Phase 7 Core Questionnaire Variables, Sequential

<i>Q#</i>	<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
51j	BCB_OTH_RAW	PP BC barrs -- other	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
51k	BCB_WHAT_RAW	PP BC barrs -- other specified		
52a	BCP_TUBE_RAW	BC postpart -- tubes tied	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
52b	BCP_VASE_RAW	BC postpart -- vasectomy	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
52c	BCP_PILL_RAW	BC postpart -- pill	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
52d	BCP_COND_RAW	BC postpart -- condoms	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
52e	BCP_SHT3_RAW	BC postpart -- shots every 3 mnths	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
52f	BCP_IMPL_RAW	BC postpart -- contraceptive implant	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
52g	BCP_PTRG_RAW	BC postpart -- contraceptive patch/ring	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
52h	BCP_IUD_RAW	BC postpart -- IUD	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
52i	BCP_RHYT_RAW	BC postpart -- rhythm	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
52j	BCP_PULL_RAW	BC postpart -- withdrawal	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
52k	BCP_NSEX_RAW	BC postpart -- abstinence	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)

PRAMS Phase 7 Core Questionnaire Variables, Sequential

<i>Q#</i>	<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
52i	BCP_OTH_RAW	BC postpart -- other	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
52m	BCP_WHAT_RAW	BC postpart -- other specified		
53	PPV_CHK	PPV -- checkup for self	NY1F	.B=DK/BLANK 1=NO 2=YES
54	MH_PPDPR	MH -- depress since birth	FREQ5F	.B=BLANK/DK .S=SKIP 1=ALWAYS 2=OFTEN/ALMOST ALWAYS 3=SOMETIMES 4=RARELY 5=NEVER
55	MH_PPINT	MH -- no interest since birth	FREQ5F	.B=BLANK/DK .S=SKIP 1=ALWAYS 2=OFTEN/ALMOST ALWAYS 3=SOMETIMES 4=RARELY 5=NEVER
56a	HI_WORK	Insurance paid by -- job	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
56b	HI_COMP	Insurance paid by -- purchase from company	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
56c	HI_MEDIC	Insurance paid by -- Medicaid	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
56d	HI_CHIP	Insurance paid by -- state specific SCHIP/CHIP	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
56e1	HI_GOV	Insurance paid by -- state specific other government	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
56e2	HI_GOV2	Insurance paid by -- state specific other government	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
56e3	HI_GOV3	Insurance paid by -- state specific other government	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
56f	HI_MILIT	Insurance paid by -- state specific TRICARE or military	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
56g	HI_IHS	Insurance paid by -- state specific IHS/Tribal	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
56h	HI_OTH	Insurance paid by -- other	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)

PRAMS Phase 7 Core Questionnaire Variables, Sequential

<i>Q#</i>	<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
56i	HI_TYPE	Insurance paid by -- Other specified		
56j	HI_NONE	Insurance paid by -- No insurance	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
57	INCOME7	Income -- 12 mnths bef, total income	INCOME7F	.B=BLANK/DK 1=\$ 0 TO \$15,000 2=\$15,001 TO \$19,000 3=\$19,001 TO \$22,000 4=\$22,001 TO \$26,000 5=\$26,001 TO \$29,000 6=\$29,001 TO \$37,000 7=\$37,001 TO \$44,000 8=\$44,001 TO \$52,000 9=\$52,001 TO \$56,000 10=\$56,001 TO \$67,000 11=\$67,001 TO \$79,000 12=\$79,001 OR MORE 13=\$ 0 TO \$10,000 14=\$10,001 TO \$15,000 15=\$15,001 TO \$19,999 16=\$19,001 OR MORE 101=\$ 0 TO \$18,000 102=\$18,001 TO \$23,000 103=\$23,001 TO \$28,000 104=\$28,001 TO \$33,000 105=\$33,001 TO \$37,000 106=\$37,001 TO \$46,000 107=\$46,001 TO \$56,000 108=\$56,001 TO \$65,000 109=\$65,001 TO \$69,000 110=\$69,001 TO \$84,000 111=\$84,001 TO \$98,000 112=\$98,001 OR MORE 201=\$ 0 TO \$17,000 202=\$17,001 TO \$21,000 203=\$21,001 TO \$26,000 204=\$26,001 TO \$30,000 205=\$30,001 TO \$34,000 206=\$34,001 TO \$43,000 207=\$43,001 TO \$51,000 208=\$51,001 TO \$60,000 209=\$60,001 TO \$64,000 210=\$64,001 TO \$77,000 211=\$77,001 TO \$90,000 212=\$90,001 OR MORE
58	INC_NDEP	Income -- dependents (+self)	NUMF	.B=DK/BLANK
59a	TOD_MTH	Today -- month	NUMF	.B=DK/BLANK
59c	TOD_YR4	Today -- year	NUMF	.B=DK/BLANK

PRAMS Phase 7 Birth Certificate Variables

<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
BRSTFED	Infant being breast-fed?	YNF	.U=UNKNOWN 1=YES 2=NO
B_ORDER	Birth order	BCF	.U=UNKNOWN
CIG_1TRI	No. of cigarettes smoked daily -1st trimester	BCF	.U=UNKNOWN
CIG_2TRI	No. of cigarettes smoked daily -2nd trimester	BCF	.U=UNKNOWN
CIG_3TRI	No. of cigarettes smoked daily -3rd trimester	BCF	.U=UNKNOWN
CIG_PRIOR	No. of cigarettes smoked daily - prior to preg	BCF	.U=UNKNOWN
DEFECT	Was the Baby Born With a Birth Defect?	YNF	.U=UNKNOWN 1=YES 2=NO
DEL_1CS	First C-Section?	NYF	.U=UNKNOWN 1=NO (UNCHECKED) 2=YES (CHECKED)
DEL_FORC	Forceps Delivery?	NYF	.U=UNKNOWN 1=NO (UNCHECKED) 2=YES (CHECKED)
DEL_RCS	Repeated C-Section?	NYF	.U=UNKNOWN 1=NO (UNCHECKED) 2=YES (CHECKED)
DEL_VACM	Vacuum Delivery?	NYF	.U=UNKNOWN 1=NO (UNCHECKED) 2=YES (CHECKED)
DEL_VAG	Vaginal Delivery?	NYF	.U=UNKNOWN 1=NO (UNCHECKED) 2=YES (CHECKED)

PRAMS Phase 7 Birth Certificate Variables

<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
DEL_VCS	Vaginal Delivery After C-Section?	NYF	.U=UNKNOWN 1=NO (UNCHECKED) 2=YES (CHECKED)
FHISP_BC	Fathers Hispanic ethnicity	YNF	.U=UNKNOWN 1=YES 2=NO
FRACE_AMI	Paternal race - American Indian/Alaska native	YNF	.U=UNKNOWN 1=YES 2=NO
FRACE_ASIAN_PU	Paternal Race Asian grouped	YNF	.U=UNKNOWN 1=YES 2=NO
FRACE_BLK	Paternal race - Black	YNF	.U=UNKNOWN 1=YES 2=NO
FRACE_MULTO_PU	Paternal Race Multiple/Other	YNF	.U=UNKNOWN 1=YES 2=NO
FRACE_NHOPI_PU	Paternal Race Native Hawaiian Other Pacific Islander grouped	YNF	.U=UNKNOWN 1=YES 2=NO
FRACE_WHT	Paternal race - White	YNF	.U=UNKNOWN 1=YES 2=NO
GEST_WK_PU	Clinical estimate of gestational age grouped	PU_GSTWK	.U=Unknown 27=27 or less weeks 43=43 or more weeks

PRAMS Phase 7 Birth Certificate Variables

Variable	SAS Label	Format	Codes
GRAM_NAPHSIS	Birth weight grouped into 250-gram intervals	NP_GRAM	.U=UNKNOWN 125=0227-0249 375=0250-0499 625=0500-0749 875=0750-0999 1125=1000-1249 1375=1250-1499 1625=1500-1749 1875=1750-1999 2125=2000-2249 2375=2250-2499 2625=2500-2749 2875=2750-2999 3125=3000-3249 3375=3250-3499 3625=3500-3749 3875=3750-3999 4125=4000-4249 4375=4250-4499 4625=4500-4749 4875=4750-4999 5125=5000-5249 5375=5250-5499 5625=5500-5749 5875=5750-5999 6125=6000-6249 6375=6250-6499 6625=6500-6749 6875=6750-6999 7125=7000-7249 7375=7250-7499 7625=7500-7749 7875=7750-7999 8125=8000-8165
HISP_BC	Mother Hispanic?	YNF	.U=UNKNOWN 1=YES 2=NO
ILLB_MO	Interval Since Last Live Birth (Months)	ILLB_R	.A=Not applicable - 1st live birth .U=Unknown
INFER_TR	Infertility treatment	YNF	.U=UNKNOWN 1=YES 2=NO
KESSNER	Kessner Index	KESSNERF	1=ADEQUATE PNC 2=INTERMEDIATE PNC 3=INADEQUATE PNC 4=UNKNOWN PNC
KOTELCHUCK	Kotelchuck Index	KOTELCHUCK	.U=UNKNOWN 1=INADEQUATE 2=INTERMEDIATE 3=ADEQUATE 4=ADEQUATE PLUS

PRAMS Phase 7 Birth Certificate Variables

Variable	SAS Label	Format	Codes
LGA	Large for Gestational Age Based on 90th Percentile	YNF	.U=UNKNOWN 1=YES 2=NO
MACROSOMIA	Macrosomia: >= 4500 gram birth weight	YNF	.U=UNKNOWN 1=YES 2=NO
MARRIED	Marital Status	MARRIEDF	.U=UNKNOWN 1=MARRIED 2=OTHER
MAT_AGE_NAPHSIS_AK	Alaska Collapsed Maternal Age	NP_MAGE	.U=UNKNOWN 3=20 – 24 4=25 – 29 5=30 – 34 6=35 – 39 7=40+ 8=<=19
MAT_AGE_NAPHSIS_VT	Vermont Collapsed Maternal Age	NP_MAGE	.U=UNKNOWN 3=20 – 24 4=25 – 29 5=30 – 34 6=35 – 39 7=40+ 8=<=19
MAT_AGE_PU	Maternal age grouped	PU_MAGE	.U=Unknown 17=17 or younger 45=45 or older
MAT_DEG	Maternal highest degree received	DEGREEF	.U=UNKNOWN 1=<= 8TH GRADE 2=9-12 GRD,NO DIPLOMA 3=HIGH SCHL GRAD/GED 4=SOME COLLEGE,NO DEG 5=ASSOCIATE DEGREE 6=BACHELORS DEGREE 7=MASTERS DEGREE 8=DOCTORATE/PROF DEG
MAT_ED	Maternal Education	EDUCF	.U=UNKNOWN 1=<= 8TH GRADE 2=9-12 GRADE,NO DIPLOMA 3=HIGH SCHOOL GRAD/GED 4=SOME COLLEGE,NO DEG/ASSOCIATE DEG 5=BACHELORS/MASTERS/DOCTORATE/PROF
MAT_HTFT	Maternal height - Feet	BCF	.U=UNKNOWN
MAT_HTIN	Maternal height - Inches	BCF	.U=UNKNOWN
MAT_PRWT	Maternal weight - Prepregnancy	BCF	.U=UNKNOWN

PRAMS Phase 7 Birth Certificate Variables

Variable	SAS Label	Format	Codes
MAT_RACE_PU_1	Maternal Race grouped (pre-2003 birth certificate layout)	PU_RACE	.U=UNKNOWN 1=ASIAN/PAC ISLANDER 2=WHITE 3=BLACK 4=AM INDIAN 10=AK NATIVE 23=OTHER/MULTIPLE RACE
MAT_RACE_PU	Maternal Race grouped	PU_RACE	.U=UNKNOWN 2=WHITE 3=BLACK 4=AM INDIAN 10=AK NATIVE 21=ASIAN 22=HAWAIIAN/OTH PAC ISLNDR 23=OTHER/MULTIPLE RACE
MAT_RACE_PU_AK	Maternal Race grouped – Alaska Only	RACEAKF	.U=UNKNOWN 1=WHITE 2=AK NATIVE 3=OTHER/MULTIPLE RACE
MAT_TRAN	Mother transferred?	YNF	.U=UNKNOWN 1=YES 2=NO
MAT_WIC	Mother get WIC food during pregnancy?	YNF	.U=UNKNOWN 1=YES 2=NO
MM_DIAB	BC: Gestational Diabetes?	YNF	.U=UNKNOWN 1=YES 2=NO
MM_DOB	Month of Birth	BCF	.U=UNKNOWN
MM_FEVER	BC: Mom had fever? Note: This variable is from the "Characteristics of Labor and Delivery (45)" section of the U.S. standard birth certificate. This variable is coded as "yes" if chorioamnionitis is coded "Y", it is coded as "no" if chorioamnionitis is "N", else it is coded "unknown".	YNF	.U=UNKNOWN 1=YES 2=NO
MM_HBP	BC: hypertension? Note: This variable is from the "Risk factors in this pregnancy (41)" section of the U.S. standard birth certificate. This variable is coded as "yes" if either prepregnancy hypertension or gestational hypertension is coded "Y", it is coded as "no" if both are	YNF	.U=UNKNOWN 1=YES 2=NO

PRAMS Phase 7 Birth Certificate Variables

<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
	"N", else it is coded "unknown".		
MM_LMP	Month of Last Menstrual Period	BCF	.U=UNKNOWN
MM_NOMD	BC: No Medical Risk Factors? Note: This variable is coded as "yes" if prepregnancy diabetes, gestational diabetes, prepregnancy hypertension, gestational hypertension, previous preterm births, poor pregnancy outcome, and vaginal bleeding are all coded "N", it is coded as "no" if any are "Y", else it is coded as "unknown". (If a site did not collect poor pregnancy outcome and/or vaginal bleeding, then these fields are not included in the calculation of MM_NOMD. These fields are no longer required by NCHS as part of the U.S. standard birth certificate as of 2014.)	YNF	.U=UNKNOWN 1=YES 2=NO
MOMCIG	Number of Cigarettes Smoked Daily During Pregnancy Note: This variable is calculated by finding the average of the No. of Cigs in 1st Trimester, No. of Cigs in 2nd Trimester, and No. of Cigs in 3rd Trimester. If any of these 3 values is unknown then variable is coded "unknown".	BCSMOKEF	.U=UNKNOWN 0=NO SMOKE 97=97 OR MORE
MOMLBS	Maternal Weight Gain (LBS)	BCLBSF	.U=UNKNOWN 0=NO GAIN/OR LOSS 97=97 OR MORE
MOMSMOKE	Did Mom Smoke? Note: This variable is coded "yes" if Mom smoked in any of the three trimesters.	YNF	.U=UNKNOWN 1=YES 2=NO
MOM_BMIG_BC	VAR: MOM BMI GROUPED FROM BC	BMIG4REV	.U=UNKNOWN 1=UNDERWT (< 18.5) 2=NORMAL (18.5-24.9) 3=OVERWT (25.0-29.9) 4=OBESE (30.0+)
MOM_BMI_BC	VAR: MOM BODY MASS INDEX FROM BC	NUMF	.U=UNKNOWN

PRAMS Phase 7 Birth Certificate Variables

Variable	SAS Label	Format	Codes
MRACE_AMI	Maternal race - American Indian/Alaska native	YNF	.U=UNKNOWN 1=YES 2=NO
MRACE_ASIAN_PU	Maternal Race Asian grouped	YNF	.U=UNKNOWN 1=YES 2=NO
MRACE_BLK	Maternal race - Black	YNF	.U=UNKNOWN 1=YES 2=NO
MRACE_MULTO_PU	Maternal Race Multiple/Other	YNF	.U=UNKNOWN 1=YES 2=NO
MRACE_NHOPI_PU	Maternal Race Native Hawaiian Other Pacific Islander grouped	YNF	.U=UNKNOWN 1=YES 2=NO
MRACE_WHT	Maternal race - White	YNF	.U=UNKNOWN 1=YES 2=NO
NCHS_URB_RUR2	Urban/rural coding from NCHS - 2 levels	URB_RUR	.U=UNKNOWN 1=URBAN 2=RURAL
OTH_TERM	No. of Previous other pregnancy outcomes Note: This variable is from the "NUMBER OF OTHER PREGNANCY OUTCOMES (36)" section of the U.S. standard birth certificate. This item includes spontaneous or induced losses or ectopic pregnancies.	O_TERM	.N=NOT RECORDED .U=UNKNOWN 0=NONE 7=7 OR MORE
PAT_ACK	Acknowledgment of paternity	YNF	.N=NOT RECORDED .U=UNKNOWN 1=YES 2=NO
PAT_DEG	Paternal highest degree received	DEGREEF	.U=UNKNOWN 1=<= 8TH GRADE 2=9-12 GRD,NO DIPLOMA 3=HIGH SCHL GRAD/GED 4=SOME COLLEGE,NO DEG 5=ASSOCIATE DEGREE 6=BACHELORS DEGREE 7=MASTERS DEGREE 8=DOCTORATE/PROF DEG

PRAMS Phase 7 Birth Certificate Variables

<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
PAT_ED	Paternal Education	EDUCF	.U=UNKNOWN 1=<= 8TH GRADE 2=9-12 GRADE,NO DIPLOMA 3=HIGH SCHOOL GRAD/GED 4=SOME COLLEGE,NO DEG/ASSOCIATE DEG 5=BACHELORS/MASTERS/DOCTORATE/PROF
PAT_RACE_PU	Paternal Race grouped	PU_RACE	.U=UNKNOWN 2=WHITE 3=BLACK 4=AM INDIAN 10=AK NATIVE 21=ASIAN 22=HAWAIIAN/OTH PAC ISLNDR 23=OTHER/MULTIPLE RACE
PAT_RACE_PU_AK	Paternal Race grouped – Alaska Only	RACEAKF	.U=UNKNOWN 1=WHITE 2=AK NATIVE 3=OTHER/MULTIPLE RACE
PAT_RACE_VT	Vermont Collapsed Paternal Race/Ethnicity: Non-Hispanic White?	YNF	.U=UNKNOWN 1=YES 2=NO
PAY	Method of payment	PAY_DELF	.U=UNKNOWN 1=MEDICAID 2=PRIVATE INS 3=SELF-PAY 4=INDIAN H.S. 5=CHAMPUS/TRICARE 6=OTHER GOV 8=OTHER 9=UNKNOWN
PLURAL	Plurality	PLURALF	.U=UNKNOWN 1=SINGLE 2=TWIN 3=OTH MULT
PNC_MTH	Month of First Prenatal Care Visit Note: This variable is calculated using the Date of Last Menstrual Period and the Date of First Prenatal Care Visit. If either of these values are unknown then variable is coded “unknown”.	PNC_MTHF	.U=UNKNOWN 88=NO PNC
PNC_VST	Number of Prenatal Care Visits	BCF	.U=UNKNOWN
POB	Place of Birth	POBF	.U=UNKNOWN 1=HOSPITAL 2=BIRTHING CENTER 3=MD OFFICE/CLINIC 4=RESIDENCE 5=OTHER

PRAMS Phase 7 Birth Certificate Variables

<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
PRE_LB_NAPHSIS	Number of previous live births grouped	NP_PRELB	.U=UNKNOWN 0=0 1=1 2=2 3=3-5 4=6+
P_PRTERM	Previous preterm births	YNF	.U=UNKNOWN 1=YES 2=NO
SEX	Gender of Infant	SEXF	.U=UNKNOWN 1=MALE 2=FEMALE
SGA_10	Small for Gestational Age Based on 10th Percentile	YNF	.U=UNKNOWN 1=YES 2=NO
SGA_2SD	Small for Gestational Age Based on 2SD from Mean	YNF	.U=UNKNOWN 1=YES 2=NO
TRANS	Infant transferred	YNF	.U=UNKNOWN 1=YES 2=NO
VT_NONHISPANIC_WHITE	Vermont Collapsed Maternal Race/Ethnicity: Non-Hispanic White?	YNF	.U=UNKNOWN 1=YES 2=NO
YY4_DOB	4-DIGIT YEAR OF BIRTH (BC)	BCF	.U=UNKNOWN
YY4_LMP	4-DIGIT YEAR OF LAST MENSES	BCF	.U=UNKNOWN

PRAMS Phase 7 Operations/Weighting Variables

<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
BC_FLAG	Birth Certificate Layout	BCFLAGF	1=PRE-2003 2=2003
HISPANIC	HISPANIC ETHNIC GROUP	NY1F	.B=DK/BLANK .U=UNKNOWN 1=NO 2=YES
LANGUAGE	Language -- English/Spanish/Chinese	LANGUAGE	1=ENGLISH 2=SPANISH 3=CHINESE
ID	MOTHERS ID NUMBER		
INQX	In Combined Questionnaire		
MODECONT	MODE OF CONTACT	MODEF	.U=UNKNOWN 0=NEITHER 1=MAIL 2=PHONE 3=BOTH(MAIL/PHONE) 4=HOSPITAL ONLY 5=HOSPITAL MAIL 6=HOSPITAL PHONE 7=WEB 8=WEB AND MAIL 9=WEB AND PHONE 10=MAIL, WEB, AND PHONE
MODE_PRT	MODE OF PARTICIPATION	MODEF	.U=UNKNOWN 0=NEITHER 1=MAIL 2=PHONE 3=BOTH(MAIL/PHONE) 4=HOSPITAL ONLY 5=HOSPITAL MAIL 6=HOSPITAL PHONE 7=WEB 8=WEB AND MAIL 9=WEB AND PHONE 10=MAIL, WEB, AND PHONE
NEST_YR	BC WT: YEAR (SUDAAN NEST VARIABLE)		
PARTICIP	DID MOM EVER PARTICIPATE?	PARTICIP	0=CONTACTED/NOT PARTICIPATE 1=CONTACTED/PARTICIPATED 9=NOT CONTACTED
QX_PHASE	QUESTIONNAIRE PHASE NUMBER		
SAMCNT	BC WT: SAMPLE COUNT		
STATE	STATE NAME	\$STATEF	
STRATUMC	BC WT: STRATA STATES COMBINED		
SUD_NEST	SUDAAN Nest Variable		
TYPE	Type of survey response	QX_TYPE	1=MAIL SURVEY 2=PHONE SURVEY
TOTCNT	BC WT: TOTAL COUNT		
WTANAL	BC WT: ANALYSIS WT		

PRAMS Phase 7 Operations/Weighting Variables

<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
WTONE	BC WT: SAMPLE WEIGHT		
WTTHREE	BC WT: NONCOVERAGE WT		
WTTWO	BC WT: NONRESPONSE WT		

PRAMS Phase 7 Analytic Variables

<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
BCB_HUSB	PP BC barrs -- husb/part didnt want (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCB_NSEX	PP BC barrs -- abstinence (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCB_OTH	PP BC barrs -- other (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCB_PNOW	PP BC barrs -- preg now (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCB_PREG	PP BC barrs -- want preg (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCB_PROB	PP BC barrs -- problems getting (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCB_SIDE	PP BC barrs -- side effect (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCB_TUBE	PP BC barrs -- tubes tied/blocked (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCB_VASE	PP BC barrs -- husb/part vasectomy (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCB_WANT	PP BC barrs -- didnt want to use (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCB_WHAT	PP BC barrs -- other specified (FORCED SKIP)		
BCP_COND	BC postpart -- condoms (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCP_IMPL	BC postpart -- contraceptive implant (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)

PRAMS Phase 7 Analytic Variables

<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
BCP_IUD	BC postpart -- IUD (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCP_NSEX	BC postpart -- abstinence (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCP_OTH	BC postpart -- other (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCP_PILL	BC postpart -- pill (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCP_PTRG	BC postpart -- contraceptive patch/ring (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCP_PULL	BC postpart -- withdrawal (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCP_RHYT	BC postpart -- rhythm (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCP_SHT3	BC postpart -- shots every 3 mnths (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCP_TUBE	BC postpart -- tubes tied (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCP_VASE	BC postpart -- vasectomy (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCP_WHAT	BC postpart -- other specified (FORCED SKIP)		
BC_WHEN4	Birth control -- use when got pregnant (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES

PRAMS Phase 7 Analytic Variables

<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
BF5EVER	Breastfeed -- ever (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
BF5LNGTH	BF duration -- length of time (FORCED SKIP)	BFDUR4F	.B=BLANK .S=SKIP 41=LESS THAN 1 WEEK 42=ONLY FED BRSTMLK
BF5LNGTU	BF duration -- wks/mnth (FORCED SKIP)	BFUNIT4F	.B=BLANK .S=SKIP 1=WEEKS 2=MONTHS 5=LESS THAN 1 WEEK 6=ONLY FED BRSTMLK
BF5STILL	Breastfeed -- still (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
BF5WEEKS	VAR: # WEEKS BREASTFED BABY	BF_DURF	.B=DK/BLANK .S=SKIP 84=DIDNT BREASTFEED 85=BREASTFED<1 WEEK 86=BREASTFEDING NOW
DRK63B_A	VAR: YES/NO DRINK 3 BEF PREG	NY1F	.B=DK/BLANK .U=UNKNOWN 1=NO 2=YES
DRK63L_A	VAR: YES/NO DRINK LAST 3 MTH PREG	NY1F	.B=DK/BLANK .U=UNKNOWN 1=NO 2=YES
DRK6C_PG	VAR: CHANGE DRINKING DURING PREG	DRK_CHNG	.B=DK/BLANK 1=NONDRINKER 2=DRINKER WHO QUIT 3=#DRKS REDUCED 4=#DRKS SAME OR MORE 5=NONDRNKR RESUMED

PRAMS Phase 7 Analytic Variables

<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
DRK6_3B	DRK -- 3 mnths bef, drinks/wk (FORCED SKIP)	DRINK5F	.B=DK/BLANK .S=SKIP 1=14 DRINKS OR MORE A WEEK 2=7 TO 13 DRINKS A WEEK 3=4 TO 6 DRINKS A WEEK 4=1 TO 3 DRINKS A WEEK 5=LESS THAN 1 DRINK A WEEK 6=I DIDNT DRINK THEN
DRK6_3L	DRK -- last 3 mnths, drinks/wk (FORCED SKIP)	DRINK5F	.B=DK/BLANK .S=SKIP 1=14 DRINKS OR MORE A WEEK 2=7 TO 13 DRINKS A WEEK 3=4 TO 6 DRINKS A WEEK 4=1 TO 3 DRINKS A WEEK 5=LESS THAN 1 DRINK A WEEK 6=I DIDNT DRINK THEN
FLUTRIM	VAR: TRIMESTER MOM RECEIVED FLU SHOT	FLUTRIMF	.B=BLANK .D=DONT KNOW .S=SKIP 1=1ST TRIMESTER 2=2ND TRIMESTER 3=3RD TRIMESTER
FLU_MTH	Flu shot -- month (FORCED SKIP)	NUMSDF	.B=BLANK .D=DK .S=SKIP 77=DK 7777=DK
FLU_MTH_DK	Flu shot -- mth (DONT KNOW = 7777)	NUMSDF	.B=BLANK .D=DK .S=SKIP 77=DK 7777=DK
FLU_YR4	Flu shot -- year (FORCED SKIP)	NUMSDF	.B=BLANK .D=DK .S=SKIP 77=DK 7777=DK
FLU_YR4_DK	Flu shot -- year (DONT KNOW = 7777)	NUMSDF	.B=BLANK .D=DK .S=SKIP 77=DK 7777=DK

PRAMS Phase 7 Analytic Variables

<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
HIVTEST_DK	VAR: TESTED FOR HIV? (DONT KNOW=7)	NYD1F	.B=BLANK .D=DK 1=NO 2=YES 7=DK
HI_NUMB	VAR: # SOURCES PAYMENT FOR PRESENT HEALTH INSURANCE	NUMF	.B=DK/BLANK
INFLIVE5	Infant alive -- now (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
INFQ_AGE	VAR: INF AGE (DAYS) QUEST COMPLETED	NUMSF	.B=DK/BLANK .S=SKIP
INFQ_AGE_MOD	VAR: INF AGE (DAYS) QUEST COMPLETED (CLEANED)	NUMSF	.B=DK/BLANK .S=SKIP
INFWMOM5	Infant living -- with mom (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
INF_ICU_DK	VAR: BABY IN INTENSIVE CARE? (DONT KNOW=7)	NYD1F	.B=BLANK .D=DK 1=NO 2=YES 7=DK
INF_LIVE	VAR: INFANT ALIVE NOW	NY1F	.B=DK/BLANK 1=NO 2=YES
INF_WMOM	VAR: INFANT WITH MOM	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
INS_NUMB	VAR: # PRE-PREGNANCY HEALTH INSURANCE PLANS	NUMF	.B=DK/BLANK
MOM_BMI	VAR: MOM BODY MASS INDEX FROM QX	NUMF	.B=DK/BLANK

PRAMS Phase 7 Analytic Variables

<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
MOM_BMIG	VAR: MOM BMI GROUPED FROM QX	BMIG4F	.B=DK / BLANK 1=UNDERWT (< 19.8) 2=NORMAL (19.8-26) 3=OVERWT (> 26-29) 4=OBESE (> 29)
MOM_BMIG_QX_REV	VAR: MOM BMI GROUPED FROM QX REVISED	BMIG4REV	.B=DK / BLANK .U=UNKNOWN 1=UNDERWT (< 18.5) 2=NORMAL (18.5-24.9) 3=OVERWT (25.0-29.9) 4=OBESE (30.0 +)
MOM_MTRS	Mom Height in Meters from Questionnaire	NUMF	.B=DK/BLANK
MOM_WT	VAR: MOM WT BEFORE PREGNANCY	MOM_WT	.B=BLANK .D=DK
NBC_GET	No BC -- couldnt get (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
NBC_HUSB	No BC -- husb/part didnt want (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
NBC_MEM	No BC -- forgot (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
NBC_MIND	No BC -- didnt mind preg (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
NBC_OTH	No BC -- other (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
NBC_SIDE	No BC -- side effects (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
NBC_STER	No BC -- sterile (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
NBC_TIME	No BC -- couldnt at time (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
NBC_WHY	No BC -- other specified (FORCED SKIP)		

PRAMS Phase 7 Analytic Variables

<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
NOHOSP_B	VAR: BABY STAY IN HOSP?	NOHOSP_B	.B=DK/BLANK 1=NO 2=YES 3=STILL HOSP
PGWAIT	Preg -- when want (FORCED SKIP)	PGWAIT	.B=BLANK/DK .S=SKIP 1=LESS THAN 1 YEAR 2=1 YEAR TO 2 YEARS 3=2 YEARS TO 3 YEARS 4=3 YEARS TO 5 YEARS 5=MORE THAN 5 YEARS
PGWT_GNU_DK	Unit of preg weight gain/lost (DONT KNOW = 7)	PGWT_GNU	.B=BLANK 1=GAINED WEIGHT 2=LOST WEIGHT 3=WEIGHT DIDNT CHANGE 7=DONT KNOW
PGWT_GN_DK	Preg weight gain/lost (DONT KNOW = 7777)	NUMSDF	.B=BLANK .S=SKIP 77=DK 7777=DK
PNCNO	VAR: NO PNC VISITS	NY1F	.B=DK/BLANK 1=NO 2=YES
PNC_1TRM	VAR: START PNC 1ST TRIMESTER?	PNC_1TRM	.B=DK/BLANK 1=YES 2=NO 3=NO PNC
PNC_WKS	VAR: WEEKS 1ST PNC VISIT	PNC_WKS	.B=DK/BLANK 99=NO PNC
PP_CHIP	Insurance paid by -- SCHIP/CHIP (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
PP_COMP	Insurance paid by -- purchase from company (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
PP_DEPRESS	VAR: POST-PARTUM DEPRESSION INDICATOR	NY1F	.B=DK/BLANK .U=UNKNOWN 1=NO 2=YES

PRAMS Phase 7 Analytic Variables

Variable	SAS Label	Format	Codes
PP_GOV	Insurance paid by -- other government (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
PP_GOV2	Insurance paid by -- other government (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
PP_GOV3	Insurance paid by -- other government (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
PP_IHS	Insurance paid by -- IHS/Tribal (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
PP_MEDIC	Insurance paid by -- Medicaid (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
PP_MILIT	Insurance paid by -- TRICARE or military (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
PP_NONE	Insurance paid by -- No insurance (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
PP_NUMB	VAR: # SOURCES PAYMENT FOR PNC	NUMSF	.B=DK/BLANK .S=SKIP
PP_OTH	Insurance paid by -- other (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
PP_TYPE	Insurance paid by -- Other specified (FORCED SKIP)		
PP_WORK	Insurance paid by -- job (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
PREGHX	VAR: HX PREV LIVE BIRTHS	PREGHX	.B=DK/BLANK 1=NO PREV LIVE BRTH 2=OK (NOT LBW OR PRETERM) 3=LBW 4=PRETERM 5=LBW & PRETERM

PRAMS Phase 7 Analytic Variables

<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
PREV_LBW	Previous live birth -- low birth weight (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
PREV_PRE	Previous live birth -- premature (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
SLEEPPPOS	Sleeping position -- baby (FORCED SKIP)	SLEEPPPOS	.B=DK/BLANK .S=SKIP 1=SIDE 2=BACK 3=STOMACH 4=SIDE/BACK 5=SIDE/STOMACH 6=BACK/STOMACH 7=ALL 3 POSITIONS
SMK63B_A	VAR: YES/NO SMOKE 3 BEF PREG	NY1F	.B=DK/BLANK 1=NO 2=YES
SMK63L_A	VAR: YES/NO SMOKE LAST 3 MTH PREG	NY1F	.B=DK/BLANK 1=NO 2=YES
SMK6C_NW	VAR: CHANGE SMOKING LAST 3 & NOW	SMK_CHNG	.B=DK/BLANK 1=NONSMOKER 2=SMOKER WHO QUIT 3=#CIGS REDUCED 4=#CIGS SAME/MORE 5=NONSMOKR RESUMED
SMK6C_PG	VAR: CHANGE SMOKING DURING PREG	SMK_CHNG	.B=DK/BLANK 1=NONSMOKER 2=SMOKER WHO QUIT 3=#CIGS REDUCED 4=#CIGS SAME/MORE 5=NONSMOKR RESUMED

PRAMS Phase 7 Analytic Variables

<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
SMK6C_PP	VAR: CHANGE SMOKING 3 BEFORE & NOW	SMK_CHNG	.B=DK/BLANK 1=NONSMOKER 2=SMOKER WHO QUIT 3=#CIGS REDUCED 4=#CIGS SAME/MORE 5=NONSMOKR RESUMED
SMK6NW_A	VAR: YES/NO SMOKE NOW	NY1F	.B=DK/BLANK 1=NO 2=YES
SMK6_3B	SMK -- 3 mnths bef, #cigs/day (FORCED SKIP)	SMOKE5F	.B=DK/BLANK .S=SKIP 1=41 CIGARETTES OR MORE 2=21 TO 40 CIGARETTES 3=11 TO 20 CIGARETTES 4=6 TO 10 CIGARETTES 5=1 TO 5 CIGARETTES 6=LESS THAN 1 CIGARETTE 7=NONE (0 CIGARETTES)
SMK6_3L	SMK -- last 3 mnths, #cigs/day (FORCED SKIP)	SMOKE5F	.B=DK/BLANK .S=SKIP 1=41 CIGARETTES OR MORE 2=21 TO 40 CIGARETTES 3=11 TO 20 CIGARETTES 4=6 TO 10 CIGARETTES 5=1 TO 5 CIGARETTES 6=LESS THAN 1 CIGARETTE 7=NONE (0 CIGARETTES)
SMK6_3N	SMK -- now, #cigs/day (FORCED SKIP)	SMOKE5F	.B=DK/BLANK .S=SKIP 1=41 CIGARETTES OR MORE 2=21 TO 40 CIGARETTES 3=11 TO 20 CIGARETTES 4=6 TO 10 CIGARETTES 5=1 TO 5 CIGARETTES 6=LESS THAN 1 CIGARETTE 7=NONE (0 CIGARETTES)
STRS_TT3	VAR: TOTAL # STRESSES	NUMF	.B=DK/BLANK
STRS_T_G	VAR: TOTAL # STRESSES, GROUPED	STRS_T_G	.B=BLANK/DK 0=NONE 1=1-2 2=3-5 3=6 OR MORE

PRAMS Phase 7 Analytic Variables

<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
TLK_ABUS	HCW talk -- physical abuse (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
TLK_BDEF	HCW talk -- birth defects tests (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
TLK_BELT	HCW talk -- seatbelt use (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
TLK_BF	HCW talk -- breastfeeding (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
TLK_DPRS	HCW talk -- depression (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
TLK_DRK	HCW talk -- drinking alcohol (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
TLK_DRUG	HCW talk -- illegal drugs (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
TLK_HIVT	HCW talk -- testing for HIV (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
TLK_MEDS	HCW talk -- safe meds (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES

PRAMS Phase 7 Analytic Variables

<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
TLK_MERC	HCW talk -- mercury levels in fish/safe eating guidelines (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
TLK_PRET	HCW talk -- preterm labor signs (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
TLK_SMK	HCW talk -- smoking (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
TLK_WT	HCW talk -- amt weight gain (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
VST_CARE	Health worker visit to help care for self/baby (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES